

A Mean-Variance Framework for Tests of Asset Pricing Models

Shmuel Kandel

University of Chicago
Tel-Aviv University

Robert F. Stambaugh

University of Pennsylvania

This article presents a mean-variance framework for likelihood-ratio tests of asset pricing models. A pricing model is tested by examining the position of one or more reference portfolios in sample mean-standard-deviation space. Included are tests of both single-beta and multiple-beta relations, with or without a riskless asset, using either a general or a specific alternative hypothesis. Tests with a factor that is not a portfolio return are also included. The mean-variance framework is illustrated by testing the zero-beta CAPM, a two-beta pricing model, and the consumption-beta model.

Many asset pricing models imply a linear relation between the expected return on an asset and covariances between the asset's return and one or more factors. The implications of such models can also be stated in terms of the mean-variance efficiency of a benchmark portfolio. In single-beta pricing relations, the benchmark portfolio can be identified specifically. For example, in the capital asset pricing model (CAPM) of Sharpe (1964), Lintner (1965), and Black (1972), it is well

Financial support from the Center for Research in Security Prices is gratefully acknowledged. This research was completed while the first author was a Battery March Fellow. The authors are grateful for comments by Michael Gibbons, Jack Glen, John Long, and participants in workshops at the University of Alberta, the University of British Columbia, the University of Pennsylvania, and Princeton University. Address reprint requests to Prof. Robert Stambaugh, Finance Department, The Wharton School, University of Pennsylvania, Philadelphia, PA 19104-6367.

known that mean-beta linearity is equivalent to mean-variance efficiency of the market portfolio [Fama (1976), Roll (1977), and Ross (1977)]. Similarly, the consumption-beta model implies the mean-variance efficiency of the portfolio having maximal correlation with consumption [Breedon (1979)]. In multiple-beta pricing relations, the benchmark portfolio generally cannot be identified specifically but instead is characterized as some combination of a set of reference portfolios. For example, an exact K -factor arbitrage pricing relation is equivalent to the mean-variance efficiency of some portfolio that combines K factor-mimicking portfolios [Grinblatt and Titman (1987) and Huberman, Kandel, and Stambaugh (1987)].

Although the equivalence between linear pricing relations and mean-variance efficiency is well understood at a theoretical level, links between tests of the pricing models and a mean-variance framework are limited to a few special cases.¹ This article presents a complete framework for the characterization and investigation of likelihood-ratio tests of the pricing restrictions in a mean-variance setting. Our treatment includes tests with either a single beta or multiple betas, with or without a riskless asset, using either a general or a specific alternative hypothesis. We also extend the mean-variance framework to test the pricing relation with a factor that is not a portfolio return. All the tests considered should be viewed as tests of mean-variance efficiency defined in terms of unconditional distributions rather than as tests of conditional mean-variance efficiency.

A major virtue of the mean-variance framework presented in this article is that it allows the researcher to represent graphically in two familiar dimensions the outcome of a test of a multidimensional pricing restriction. A pricing model is tested by examining the position of one or more reference portfolios in sample mean-standard-deviation space. In this approach, the likelihood-ratio-test statistic can be viewed not only as the outcome of a numerical procedure but also as a quantity with simple economic and statistical interpretations.

One case for which the mean-variance framework has been developed is one in which a pricing model that includes a riskless asset is tested against a general alternative hypothesis. The likelihood-ratio test in this case can be characterized as comparing the position in sample mean-standard-deviation space of a benchmark portfolio, or a set of reference portfolios, to the position of the sample tangent portfolio [e.g., Jobson and Korkie (1982) and Gibbons, Ross, and Shanken (1989)]. The rejection region in sample mean-standard-deviation space is defined by a pair of lines.

We show that, in the absence of a riskless asset, the rejection region for the likelihood-ratio test using a general alternative hypothesis is defined by a hyperbola in sample mean-standard-deviation space. As in the case in which a riskless asset exists, the rejection region depends only on the

¹ See Jobson and Korkie (1982, 1988), Gibbons, Ross, and Shanken (1989), Kandel (1984, 1986), and Roll (1985).

estimated means and variance–covariance matrix for the observed universe of assets and does not depend on the specified benchmark or reference portfolios. It is not necessary to estimate a zero-beta expected return to conduct the test. With a single benchmark portfolio, the likelihood-ratio test consists of asking whether the position of the benchmark portfolio in sample mean-standard-deviation space lies within the rejection region. With a collection of reference portfolios, the researcher first plots the sample minimum-standard-deviation boundary of all combinations of the reference portfolios. The test then consists of asking whether this entire boundary lies within the rejection region. We illustrate these procedures by testing a zero-beta CAPM and a two-beta pricing model.

The mean-variance framework is also used to investigate likelihood-ratio tests of pricing models against specific alternative hypotheses. We consider tests of a K_1 -beta pricing model against a specific K_2 -beta pricing model. The null hypothesis identifies K_1 reference portfolios to be used in explaining expected returns, and the specific alternative hypothesis identifies an additional set of $K_2 - K_1$ reference portfolios. If a riskless asset exists, then a test of a K_1 -beta model against a K_2 -beta model is conducted by testing whether the tangent portfolio of the K_1 portfolios is also the tangent portfolio of the larger set of K_2 portfolios. The test is identical to the test of a K_1 -beta model against a general alternative, except that the set of K_2 reference portfolios replaces the original universe of n assets. No other information about the other $n - K_2$ assets is used.

When a riskless asset is not included, the specific alternative hypothesis is that some combination of the K_2 portfolios is efficient with respect to the set of n assets. As in the case with a riskless asset, there is a close correspondence between the mean-variance representations of the tests against the general and specific alternatives, and the critical hyperbolas in sample mean-standard-deviation space are from the same class. Unlike the case with a riskless asset, however, the critical hyperbola in the case without a riskless asset depends on the returns of all n assets. Tests using a specific alternative are illustrated by testing a single-beta model against a two-beta model.

We extend the mean-variance framework to tests of a pricing relation with a factor, such as consumption, that is not a portfolio return. In particular, we consider the role of a reference portfolio with weights estimated, within the sample, to approximate those of the portfolio having maximal correlation with the factor. We show that, if a riskless asset exists, then the likelihood-ratio test of a single-beta pricing model, where betas are defined with respect to a factor, is similar to the test of a single-beta model using a reference portfolio with prespecified weights. In both cases, the position of the reference portfolio is compared with the position of the sample tangent portfolio of the observed universe of n assets. With a prespecified reference portfolio, the critical value for this comparison depends only on the sample means and variance–covariance matrix of the n assets. In the test with estimated weights, however, the critical value also depends on

the sample correlation between the return on the estimated reference portfolio and the factor. We illustrate this procedure by testing the consumption-beta model.

The mean-variance framework offers directions for future research beyond the scope of this study. For example, the mean-variance framework presented here, coupled with previously developed analysis, allows the researcher to investigate problems associated with measuring accurately the returns on relevant benchmark or reference portfolios. Kandel and Stambaugh (1987) conducted such an investigation for the Sharpe–Lintner form of the CAPM, where a riskless asset is included. They computed the maximum correlation between a given benchmark portfolio and a portfolio that gives a different inference about the model, and they tested the hypothesis that the correlation between the benchmark and the ex ante tangent portfolio exceeds a given level. Their analysis combined a mean-variance framework for the likelihood-ratio test with the results of Kandel and Stambaugh (1986), which derived the maximum correlation between a given portfolio and another portfolio with a given location in mean-variance space. Similar analyses can be conducted for other pricing models by combining the mean-variance framework for tests of these models with the results of Kandel and Stambaugh (1986).

The article proceeds as follows. Section 1 defines terms and notation used. Section 2 analyzes likelihood-ratio tests using a general alternative hypothesis, and Section 3 presents tests using specific alternative hypotheses. As each test is discussed, we include an illustration using weekly returns on stock market indexes and common stock portfolios formed according to firm size. Section 4 extends the framework to models with a factor that is not a portfolio return and provides an illustration using consumption data. Section 5 concludes the article.

1. Definitions and Notation

We consider a set of n risky assets, which are often portfolios formed from a larger universe of individual assets. An $n \times l$ matrix G with full column rank contains the weights for l portfolios that are combinations of the n assets. A given set of K reference portfolios is represented by the matrix A , a specific choice of G having K columns. A single reference portfolio is denoted by the vector p , a specific choice of G having one column.

Let R_t denote returns in period t on the K reference portfolios, and let r_t denote returns in period t on the remaining $n - K$ assets. If a riskless asset exists, then R_t and r_t denote excess returns on these assets, that is, returns in excess of the riskless rate r_{ft} .² It is assumed throughout the paper

² If the riskless rate is changing, the use of excess returns is problematic in terms of defining unconditional mean-variance efficiency. In that our primary goal is to provide a simple framework in which to interpret previously applied tests, we follow the convention of previous research in our use of excess returns. This issue, along with more general questions about the appropriateness of testing unconditional relations, lie beyond the scope of this study.

that the n -vector of returns $(r'_t, R'_t)'$ is distributed multivariate normal with a nonsingular variance–covariance matrix.³ Let E and V denote the population mean and covariance matrix of $(r'_t, R'_t)'$, and partition E and V as

$$\begin{aligned} E &\equiv E \begin{bmatrix} r_t \\ R_t \end{bmatrix} \equiv \begin{bmatrix} E_1 \\ E_2 \end{bmatrix} \\ V &\equiv \text{COV} \begin{bmatrix} r_t \\ R_t \end{bmatrix} \equiv \begin{bmatrix} V_{11} & V_{12} \\ V_{21} & V_{22} \end{bmatrix} \end{aligned} \quad (1)$$

For a sample of T observations, define

- \hat{E} : The sample means of $(r'_t, R'_t)'$
- \hat{V} : The sample covariance matrix of $(r'_t, R'_t)'$
- $\hat{\sigma}^2(m)$: The minimum sample variance of any portfolio with sample mean return m that is constructed from the set of n assets

A useful matrix that summarizes the sample feasible set is given by

$$\begin{bmatrix} L & M \\ M & N \end{bmatrix} \equiv \begin{bmatrix} \iota'_n \hat{V}^{-1} \iota_n & \iota'_n \hat{V}^{-1} \hat{E} \\ \iota'_n \hat{V}^{-1} \hat{E} & \hat{E}' \hat{V}^{-1} \hat{E} \end{bmatrix} \quad (2)$$

where ι_n is an n -vector of ones. The determinant of the matrix in (2) is

$$D \equiv L \cdot N - M^2$$

For a given portfolio p , define

- $\hat{\mu}(p)$: The sample mean return of portfolio p
- $\hat{\sigma}^2(p)$: The sample variance of portfolio p

For a set of portfolios represented by the matrix G , define

- $\hat{\sigma}_G^2(m)$: The minimum sample variance of any portfolio with sample mean return m that is constructed from the set of portfolios represented by the matrix G

The following are defined only for the case in which a riskless asset exists:

- $S(p)$: The sample Sharpe measure of portfolio p , defined as the ratio of the mean excess return on p to the standard deviation of excess return on p . That is,

$$S(p) = \frac{\hat{\mu}(p)}{\hat{\sigma}(p)} \quad (3)$$

where excess returns are used in computing $\hat{\mu}(p)$ and $\hat{\sigma}(p)$.

- p^* : The portfolio having the highest absolute value of the sample Sharpe measure of any portfolio constructed from the set of n assets.

³ The simple partitioning of the set of n assets into sets of size K and $n - K$ is for ease of discussion. Both the K reference portfolios and the other $n - K$ assets can be combinations of the n "primitive" assets.

- p_G^* : The portfolio having the highest absolute value of the sample Sharpe measure of any portfolio constructed from the set of portfolios represented by the matrix G .

2. Likelihood-Ratio Tests Using a General Alternative Hypothesis

Numerous studies have developed and applied tests of asset pricing models against a general (unspecified) alternative hypothesis using the multivariate regression

$$r_t = a + BR_t + u_t \tag{4}$$

A linear mean-beta pricing relation states that, for some scalar γ ,

$$E(r_t) = \gamma \iota_{n-K} + B[E(R_t) - \gamma \iota_K] \tag{5}$$

where $E(\cdot)$ is the expectation operator and ι_{n-K} denotes an $(n - K)$ -vector of ones. Furthermore, if a riskless asset exists (so that r_t and R_t are stated as excess returns), then $\gamma = 0$. The pricing relation in (5) implies the following restriction on the parameters in the multivariate regression in (4):

$$a = \gamma(\iota_{n-K} - B\iota_K) \tag{6}$$

which simplifies to the restriction $a = 0$ when a riskless asset exists.⁴

The pricing restriction in (5) can be viewed as a set of restrictions on E and V , the true (population) mean vector and variance-covariance matrix of the n risky assets. These restrictions can be written as

$$E_1 = \gamma \iota_{n-K} + V_{12}(V_{22})^{-1}[E_2 - \gamma \iota_K] \tag{7}$$

Let the parameter vector θ contain the elements of E and V , and let Ω denote the entire parameter space (wherein E can be any real-valued vector and V can be any symmetric positive-definite matrix). The restrictions in (7) are represented as $\theta \in \omega(A)$, where $\omega(A)$ denotes the region of Ω defined by the restrictions. The notation " $\omega(A)$ " is chosen to emphasize the fact that this region depends on the choice of the K reference portfolios. The notation " $\omega(p)$ " is used with a single reference portfolio p . Let Z denote the sample of T observations of $(r'_t, R'_t)'$, and let $f(\theta; Z)$ denote the likelihood function (given by the multivariate normal distribution).

The likelihood ratio for testing a K -beta pricing model with the reference portfolios represented by A against a general alternative is given by

$$\lambda(A) \equiv \frac{\max_{\theta \in \Omega} f(\theta; Z)}{\max_{\theta \in \omega(A)} f(\theta; Z)} \tag{8}$$

⁴ In the absence of a riskless asset and when $K > 1$, a test of the restrictions $a = 0$ and $B\iota_K = \iota_{n-K}$ is equivalent to a test of "mean-variance spanning," that is, that the mean-variance frontier of the K assets coincides with that of the larger set of n assets. See Huberman and Kandel (1987).

When a single-beta pricing model is tested, the matrix A is replaced in (8) by p , representing the tested reference portfolio.

This section presents a framework in sample mean-variance space for conducting likelihood-ratio tests of the pricing restrictions. We first summarize existing results for models with a riskless asset (Section 2.1); we then present new geometrical interpretations for testing models without a riskless asset (Sections 2.2 and 2.3).

2.1 Tests of models with a riskless asset

When a riskless asset exists, efficiency is defined with respect to the set of n risky assets plus the riskless asset. If the pricing model contains a single beta, that is, the matrix B in (4) has one column, then a test of the pricing model is equivalent to a test of the mean-variance efficiency of the specified reference portfolio with return R_r . If the pricing model contains several betas, that is, B has more than one column, then in general one cannot identify a specific benchmark portfolio that is implied by the pricing model to be mean-variance efficient. The linear pricing relation in (5) is equivalent to the statement that some portfolio of the K reference portfolios is mean-variance efficient [Jobson and Korkie (1985), Grinblatt and Titman (1987) and Huberman, Kandel, and Stambaugh (1987)].

The finite-sample distribution of the likelihood-ratio-test statistic for models with a riskless asset is presented by Gibbons, Ross, and Shanken (1989). Following Anderson (1984), they show that a transformation of the likelihood-ratio statistic for testing $a = 0$ in (4) (when r_t and R_t are stated in excess of the riskless rate) obeys an F -distribution in finite samples.⁵ The following proposition summarizes the sample mean-variance representation of this test provided by Jobson and Korkie (1982) and Gibbons, Ross, and Shanken (1989).⁶

Proposition 1. *The likelihood-ratio test with significance level α rejects the hypothesis that some portfolio of the K reference portfolios represented by the matrix A is efficient with respect to the set of n assets plus the riskless asset if and only if*

$$|S(p_A^*)| < S^c \tag{9}$$

where

$$S^c = \left[\frac{S(p^*)^2 - \nu F_\alpha(n - K, T - n)}{1 + \nu F_\alpha(n - K, T - n)} \right]^{1/2} \tag{10}$$

⁵ Jobson and Korkie (1985) and MacKinlay (1987) also present the same result for the single-beta CAPM. A similar result is also presented by Jobson and Korkie (1982), except that they characterize what is in fact the finite-sample distribution as being valid only asymptotically, and they misstate the number of degrees of freedom.

⁶ These results are also summarized in a recent paper by Jobson and Korkie (1988).

if the bracketed quantity in (10) is positive, S^c equals zero otherwise (in which case there is no rejection), $F_\alpha(n - K, T - n)$ is the critical value for significance level α of the F -distribution with $n - K$ and $T - n$ degrees of freedom, and $\nu = (n - K)/(T - n)$.

Proof. See the Appendix. ■

For a given sample of assets and returns, there may exist no specification of the reference portfolio(s) that results in a rejection of the pricing model. This situation, wherein the maximum squared sample Sharpe measure $S(p^*)^2$ is less than $\nu F_\alpha(n - K, T - n)$ and thus the bracketed quantity in (10) is negative, is more likely to occur as the number of assets (n) grows large relative to the number of time-series observations (T).

As the above proposition states, in a test of a single-beta model ($K = 1$) the efficiency of a portfolio can be tested by plotting its position in sample mean-standard-deviation space, where all returns are stated in excess of the riskless rate. The tested portfolio's position is compared to the location of the two critical lines with intercepts of zero and slopes with absolute values equal to S^c . If the tested portfolio lies between the critical lines, then its efficiency is rejected.

Proposition 1 also indicates that in the test of a multiple-beta model ($K > 1$) the portfolio tested is p_A^* , the sample tangent portfolio for the set of K assets. The position of portfolio p_A^* is compared to the two critical lines in sample mean-standard-deviation space in precisely the same manner as was the single reference portfolio in the case of $K = 1$. (The differences in S^c between the two cases simply reflect different degrees of freedom.) Note that $|S(p_A^*)| < S^c$, and thus the multiple-beta model is rejected, if and only if the minimum-standard-deviation boundary of the K reference portfolios does not intersect either of the two critical lines.

We illustrate here a test of a two-beta pricing model ($K = 2$) with the weekly returns data used by Kandel and Stambaugh (1987) in tests of the Sharpe–Lintner version of the CAPM ($K = 1$). The set of 12 risky assets ($n = 12$) consists of two market proxies—the equally weighted and the value-weighted portfolios of stocks on the New York and American Exchanges—and 10 value-weighted portfolios of common stocks formed by ranking all firms on both exchanges by market value at the end of the previous year. The riskless rate is the return on a U.S. Treasury bill with one week to maturity.⁷ A two-beta model is tested using the two market proxies as the two reference portfolios. We choose these proxies simply to illustrate the testing framework rather than to conduct comprehensive new tests of asset pricing models.⁸ For the same reason, we use, for Proposition 1 as well as

⁷ We thank Richard Rogalski for providing the Treasury bill data.

⁸ The use of the two proxies may be partially motivated by the well-known “size anomaly” of the single-beta CAPM. The value-weighted index primarily reflects changes in the prices of large firms, whereas the equally weighted index is affected more by the returns on medium-size and small firms.




Figure 1
A likelihood-ratio test of a two-beta pricing model in the presence of a riskless asset
 The test is based on weekly returns in excess of a riskless rate. The two reference portfolios are the value-weighted NYSE-AMEX and the equally weighted NYSE-AMEX. The sample minimum-standard-deviation boundary is constructed using 12 assets: 10 size-based portfolios plus the two market proxies. The critical lines reflect a 5 percent significance level. The pricing model is not rejected if the boundary of the reference portfolios intersects a critical line.

the propositions to follow, only one of the three subperiods examined by Kandel and Stambaugh (1987). The subperiod selected extends from Oct. 8, 1975, through Dec. 23, 1981, and includes 324 weekly observations.

Figure 1 displays the test at a 5 percent significance level. The hyperbola representing combinations of the two reference portfolios does not intersect either critical line. Thus, the two-beta model is rejected.

2.2 Tests of single-beta models without a riskless asset

A likelihood-ratio test of (6) with a single beta, where γ is an unknown zero-beta rate, was first proposed by Gibbons (1982). The hypothesis tested is equivalent to the mean-variance efficiency of the benchmark portfolio with respect to the n risky assets. The exact finite-sample distribution of the likelihood-ratio-test statistic has not been obtained for this case, although a lower bound for the distribution is obtained by Shanken (1986).⁹ Thus, selection of an appropriate critical value is more difficult than in the case where a riskless asset exists. Once a critical value is specified, however, we show that this test can be conducted in a mean-variance framework.

⁹ For discussions of finite-sample properties of the likelihood-ratio statistic and other large-sample equivalents, see also Stambaugh (1982), Shanken (1985), and Amsler and Schmidt (1985). Shanken (1985) derives an upper bound on the finite-sample distribution of one alternative to the likelihood-ratio statistic.

Definition. $W(p) = [\lambda(p)^{2/T} - 1]$. This is a monotonic transformation of the likelihood ratio $\lambda(p)$ for testing the efficiency of portfolio p with respect to the set of n assets. $T \cdot \ln[1 + W(p)]$ is asymptotically distributed as χ^{12} with $n - 2$ degrees of freedom if portfolio p is efficient.

Definition. W^c is the critical value for $W(p)$ at the chosen significance level. That is, the efficiency of portfolio p is rejected if $W(p) > W^c$.

Proposition 2. The likelihood-ratio test rejects the efficiency of portfolio p in the absence of a riskless asset, that is $W(p) > W^c$, if and only if

$$\hat{\sigma}^2(p) > \delta_1(W^c) + \sigma_2(W^c) \cdot \hat{\sigma}^2(\hat{\mu}(p)) \tag{11}$$

where the functions $\delta_1(\cdot)$ and $\delta_2(\cdot)$ are given by

$$\delta_1(x) = \frac{x(x + 1)}{Lx - D} \quad \text{and} \quad \delta_2(x) = \frac{-D(x + 1)}{Lx - D} \tag{12}$$

and where L and D are defined in (2).

Proof. See the Appendix. ■

Proposition 2 states that the likelihood-ratio test of efficiency can be performed by first constructing a critical parabola in sample mean-variance $(\hat{\mu}, \hat{\sigma}^2)$ space given by the equation $\hat{\sigma}^2 = \delta_1 + \delta_2 \cdot \hat{\sigma}^2(\hat{\mu})$. Note that this critical parabola is a linear transformation of the sample minimum-variance boundary of the n assets and that neither $\delta_1(\cdot)$ nor $\delta_2(\cdot)$ require information about the tested portfolio (other than that the tested portfolio can be constructed from the set of n assets). If the tested portfolio lies inside the convex region defined by this critical parabola, then the efficiency of that portfolio is rejected. The critical parabola becomes a critical hyperbola in sample mean-standard-deviation space, and we use the latter representation in the illustration below.

Using the same 12 assets and the same sample period as were used in the previous example, we test the zero-beta CAPM [Black (1972)] with each of the two indexes as the market proxy. Because this formulation of the model does not include a riskless asset, total (not excess) returns are used. The critical value, W^c , is based on the result by Shanken (1986) that, under the null hypothesis, the lower bound on the distribution of $W(p) \cdot (T - K - 1)$ is a T^2 -variate with degrees of freedom $n - K$ and $T - K - 1$. Equivalently, the lower bound on the distribution of $W(p) \cdot (T - n)/(n - K)$ is central F with degrees of freedom $n - K$ and $T - n$. Therefore, for a significance level of 5 percent and for the 324-week sample size the critical value is

$$W^c = F_{0.05}(11, 312) \cdot \frac{11}{312} = 0.0641$$

Figure 2 displays the results of this test. Each of the two market proxies lies inside the rejection region defined by the critical hyperbola, and thus




Figure 2
Likelihood-ratio tests of the zero-beta CAPM (without a riskless asset)

The tests are based on weekly returns, and the market proxies are the value-weighted NYSE-AMEX and the equally weighted NYSE-AMEX. The sample minimum-standard-deviation boundary is constructed using 12 assets: 10 size-based portfolios plus the two market proxies. The critical hyperbola reflects a 5 percent significance level. The pricing model is rejected if the market proxy lies to the right of the critical hyperbola.

the efficiency of each of the two indexes is rejected at a significance level of no more than 5 percent.

2.3 Tests of multiple-beta models without a riskless asset

Gibbons (1982) and Shanken (1985, 1986) discuss likelihood-ratio tests of (6) in the absence of a riskless asset for cases where $K > 1$. This restriction [imposed by the pricing equation in (5)] is equivalent to the statement that some combination of the K reference portfolios is efficient with respect to the set of n risky assets [Grinblatt and Titman (1987) and Huberman, Kandel, and Stambaugh (1987)]. Proposition 2 states that the critical region for testing the efficiency of a given portfolio, in the absence of a riskless asset, is given by a linear transformation of the sample minimum-variance boundary. Proposition 3 establishes a similar result for the test of the efficiency of some combination of the K reference portfolios represented by the matrix A .

Definition. $W_A = [\lambda(A)^{2/T} - 1]$. This is a monotonic transformation of the likelihood ratio for testing the hypothesis that some portfolio of the K assets represented by the matrix A is mean-variance efficient with respect to the set of n assets.

Definition. W_k^c is the critical value for W_A at the chosen significance level. That is, the null hypothesis is rejected if $W_A > W_k^c$.

Since an exact small-sample distribution for the likelihood-ratio statistic has not been obtained, choosing the critical value W_k^c is again more difficult than in the cases where a riskless asset exists. One could use, for example, the lower bound on the distribution obtained by Shanken (1986). Once the critical value is chosen, however, the test can be conducted in sample mean-variance space as shown by the following proposition.

Proposition 3. The likelihood-ratio test rejects the hypothesis that some portfolio of the K assets represented by the matrix A is efficient with respect to the n risky assets, that is, $W_A > W_k^c$, if and only if

$$\hat{\sigma}_A^2(m) > \delta_1(W_k^c) + \delta_2(W_k^c) \cdot \hat{\sigma}^2(m) \quad \text{for all } m \quad (13)$$

where δ_1 and δ_2 are defined in (12).

Proof. See the Appendix. ■

Note the similarity between Propositions 2 and 3. In both cases, the rejection region is defined by a critical parabola that is simply a linear transformation of the sample minimum-variance boundary. (In fact, the definitions of the parabolas are identical except for the possibly different critical values, W^c and W_k^c .) A given portfolio's efficiency is rejected if it lies inside the convex rejection region formed by the critical parabola. The efficiency of any combination of the K assets is rejected if the entire feasible set of portfolios of those K assets lies within that rejection region.

We illustrate this test with the same data used to construct the previous two examples. As in the first example, we test a two-beta model where the value-weighted and equally weighted market proxies are specified as the two reference portfolios. In this case, however, there is no riskless asset. The critical value W_k^c is computed by the same method used in the previous example, using Shanken's (1986) lower bound, except that $K_2 = 2$, so

$$W_k^c = F_{0.05}(10, 312) \cdot \frac{10}{312} = 0.0596$$

Figure 3 illustrates the results of this test. All combinations of the two reference assets lie within the rejection region defined by the critical hyperbola, and thus the two-beta model is rejected.

3. Likelihood-Ratio Tests Using Specific Alternative Hypotheses

This section examines likelihood-ratio tests of the pricing restriction in (5), where the restriction is tested against a specific alternative. The specific alternative is one in which a multiple-beta model of higher dimension describes expected returns. That is, the relation in (5) with K_1 reference portfolios, represented by the matrix A_1 , is tested as the null hypothesis




Figure 3

A likelihood-ratio test of a two-beta pricing model in the absence of a riskless asset

The test is based on weekly returns, and the two reference portfolios are the value-weighted NYSE-AMEX and the equally weighted NYSE-AMEX. The sample minimum-standard-deviation boundary is constructed using 12 assets: 10 size-based portfolios plus the two market proxies. The critical hyperbola reflects a 5 percent significance level. The pricing model is not rejected if the boundary of the reference portfolios intersects the critical hyperbola.

against the alternative hypothesis that a model with $K_2 (>K_1)$ reference portfolios holds, where the latter set includes the original K_1 reference portfolios and is represented by the matrix A_2 . The total set of n risky assets is held fixed, so the alternative hypothesis simply identifies a larger number of the n assets as reference portfolios to be used in explaining expected returns on the other assets.

Let H_0 denote the hypothesis that a K_1 -beta model holds in the presence of a riskless asset, and let H_A denote the hypothesis that a K_2 -beta model holds. Using the notation introduced in Section 2, the likelihood ratio for testing H_0 against H_A is

$$\lambda(A_1, A_2) \equiv \frac{\max_{\theta \in \omega(A_2)} f(\theta; Z)}{\max_{\theta \in \omega(A_1)} f(\theta; Z)} \tag{14}$$

3.1 Tests of models with a riskless asset

We first consider the case in which a riskless asset exists. In this case, the null hypothesis is equivalent to the statement that the tangent portfolio of the K_1 reference portfolios represented by A_1 is the tangent portfolio of the n assets. The alternative hypothesis is that the tangent portfolio of the

set of K_2 reference portfolios represented by A_2 is also the tangent portfolio of the set of n assets. As before, $p_{A_1}^*$ and $p_{A_2}^*$ denote the portfolios from the sets of K_1 and K_2 assets having the highest absolute Sharpe measures.

Proposition 4. *The likelihood-ratio test with significance level α rejects H_0 against H_A if and only if*

$$|S(p_{A_1}^*)| < S_{A_2}^c \tag{15}$$

where

$$S_{A_2}^c \equiv \left[\frac{S(p_{A_2}^*)^2 - \nu F_\alpha(K_2 - K_1, T - K_2)}{1 + \nu F_\alpha(K_2 - K_1, T - K_2)} \right]^{1/2} \tag{16}$$

if the bracketed quantity in (16) is positive, and $S_{A_2}^c$ equals zero otherwise (in which case there is no rejection). $F_\alpha(K_2 - K_1, T - K_2)$ is the critical value for significance level α of the F -distribution with $K_2 - K_1$ and $T - K_2$ degrees of freedom, and $\nu = (K_2 - K_1)/(T - K_2)$.

Proof. See the Appendix. ■

A comparison of Propositions 1 and 4 reveals that a test of a K_1 -beta model against a K_2 -beta model, when a riskless asset exists, is conducted by testing whether some combination of the K_1 reference portfolios is the tangent portfolio of the set of K_2 reference portfolios. Observe that the test defined in Proposition 4 is identical to the test defined in Proposition 1, except that the critical Sharpe measure S^c is replaced by $S_{A_2}^c$ and the degrees of freedom are changed. Therefore, only information about the K_2 reference portfolios, and the subset of K_1 portfolios, is used to conduct the test against the specific alternative. No other information about the original n assets is used.

Using the same data as were used in the previous examples (12 assets and the period Oct. 8, 1975 to Dec. 23, 1981), we illustrate Proposition 4 by testing the Sharpe–Lintner model ($K_1 = 1$) against the specific alternative of a two-beta pricing model ($K_2 = 2$) in which the NYSE–AMEX indexes serve as the reference portfolios. In other words, the specific alternative states that some combination of the value-weighted and equally weighted NYSE–AMEX portfolios is the tangent portfolio. (As in Proposition 1, excess returns are used in this test, and tangency is defined with respect to the origin.) The Sharpe–Lintner model is tested with each of the two portfolios as the market index.

Figure 4 displays lines corresponding to the critical Sharpe measures for tests using both a general alternative and the specific alternative. The critical lines are displayed only in regions that possibly could contain the reference portfolio for the given test. For example, neither reference portfolio can lie outside the boundary of the two reference portfolios, so the critical line for the test using the specific alternative does not extend beyond that boundary. The pricing model is not rejected against a general




Figure 4
Likelihood-ratio tests of a single-beta pricing model against general and specific alternative hypotheses in the presence of a riskless asset

The null hypothesis is a single-beta pricing model with a market proxy as the reference portfolio. The specific alternative hypothesis is a two-beta pricing model with two market proxies as the reference portfolios. The tests are based on weekly returns in excess of a riskless rate, and the market proxies are the value-weighted NYSE-AMEX and the equally weighted NYSE-AMEX. The sample minimum-standard-deviation boundary is constructed using 12 assets: 10 size-based portfolios plus the two market proxies. The critical lines reflect a 5 percent significance level, and they are displayed only in regions that could possibly contain the reference portfolio for the given test. The pricing model is not rejected against the general alternative if the reference portfolio lies horizontally to the left of a critical line and to the right of the minimum-standard-deviation boundary, and the model is not rejected against the specific alternative if the reference portfolio lies horizontally to the left of the critical line and to the right of the boundary of the reference portfolios.

alternative if the reference portfolio lies horizontally to the left of a critical line and to the right of the minimum-standard-deviation boundary. The model is not rejected against the specific alternative if the reference portfolio lies horizontally to the left of the critical line and to the right of the boundary of the reference portfolios. Note that, in this case, the rejection region for the test using the general alternative includes the rejection region for the test using the specific alternative. (This issue is analyzed below.) Given the positions of both index portfolios, the Sharpe-Lintner model is rejected for either specification of the market index using either the general alternative or the specific two-beta alternative.

When the maximum squared sample Sharpe measure of combinations of the K_2 reference portfolios is sufficiently low relative to the appropriate F -statistic, there can be samples in which no choice of the K_1 reference portfolios (from among combinations of the K_2 portfolios) produces a rejection using the specific alternative hypothesis. Recall that the test using the general alternative can encounter a similar situation (see the discussion

immediately following Proposition 1). For the values of n and T used in the example illustrated here, (16) implies that such a situation occurs when the maximum squared Sharpe measure of combinations of the two reference portfolios is less than $(\frac{1}{322}) \cdot F_{0.05}(1, 322)$, and we find this to be the case in a different period (July 2, 1969 to Oct. 1, 1975). In that period, the Sharpe–Lintner model is rejected using a general alternative for any market index that combines the equally weighted and value-weighted NYSE–AMEX portfolios, but no such combination rejects the model using the specific alternative.

As noted earlier, the test in Proposition 1 is equivalent to testing whether $a = 0$ in (4) when r_t and R_t are stated as excess returns. A similar equivalence holds for the test in Proposition 4. Partition the vector of excess returns on the n assets as $(r'_t, R'_{1t}, R'_{2t})'$, where R_{1t} contains returns on K_1 assets and R_{2t} contains returns on $K_2 - K_1$ assets. A test of a K_1 -beta pricing model against a general alternative, as in Proposition 1, is equivalent to testing whether $[a'_1 \ a'_2]' = 0$ in the regression

$$\begin{bmatrix} r_t \\ R_{2t} \end{bmatrix} = \begin{bmatrix} a_1 \\ a_2 \end{bmatrix} + \begin{bmatrix} B_1 \\ B_2 \end{bmatrix} R_{1t} + \begin{bmatrix} u_t \\ u_{2t} \end{bmatrix} \tag{17}$$

where all returns are stated in excess of the riskless rate. Likewise, a test of a K_2 pricing model against a general alternative is equivalent to testing whether $a_3 = 0$ in the regression

$$r_t = a_3 + B_3 \begin{bmatrix} R_{1t} \\ R_{2t} \end{bmatrix} + \epsilon_t \tag{18}$$

Given Proposition 4 and the same type of equivalence to a regression test, a test of a K_1 -beta model against the specific alternative of a K_2 -beta model is equivalent to testing whether $a_2 = 0$ in the regression

$$R_{2t} = a_2 + B_2 R_{1t} + u_{2t} \tag{19}$$

As noted above, the returns on the other assets, r_t , are not used in this test.

An interesting special case occurs when $K_1 = 1$ and $K_2 = 2$, that is, the tangency of a given portfolio with excess return R_{1t} is tested against the alternative that some combination of this portfolio and a second portfolio with excess return R_{2t} is the tangent portfolio of the n assets. Given the above discussion, this test is equivalent to regressing R_{2t} on R_{1t} and testing whether the scalar intercept is equal to zero.

3.2 Tests of models without a riskless asset

When a riskless asset is not included, the null hypothesis to be tested is that some combination of the K_1 reference portfolios is efficient with respect to the set of n risky assets. The alternative hypothesis is that some combination of the K_2 reference portfolios is efficient with respect to the n

assets. Proposition 5 gives a mean-variance representation of the likelihood-ratio test in this case. As in the above case with a riskless asset, there is a close correspondence between this result and the mean-variance representation of the test against a general alternative (Proposition 3).

Definition. $W_{A_1, A_2} = [\lambda(A_1, A_2)^{2/T} - 1]$. This is a monotonic transformation of the likelihood ratio for testing H_0 against H_A .

Definition. $W_{A_2} = [\lambda(A_2)^{2/T} - 1]$. This is a monotonic transformation of the likelihood ratio for testing the hypothesis that some portfolio of the K_2 assets represented by the matrix A_2 is mean-variance efficient with respect to the set of n assets.

Definition. W_{K_1, K_2}^c is the critical value for W_{A_1, A_2} at the chosen significance level. That is, H_0 is rejected in favor of H_A if $W_{A_1, A_2} > W_{K_1, K_2}^c$.

Proposition 5. The likelihood-ratio test rejects H_0 against H_A , that is, $W_{A_1, A_2} > W_{K_1, K_2}^c$, if and only if

$$\hat{\sigma}_{A_1}^2(m) > \delta_1(X_{A_2}) + \delta_2(X_{A_2}) \cdot \hat{\sigma}^2(m) \quad \text{for all } m \quad (20)$$

where δ_1 and δ_2 are defined in (12), and

$$X_{A_2} = (1 + W_{A_2})(1 + W_{K_1, K_2}^c) - 1 \quad (21)$$

Proof. See the Appendix. ■

The critical parabola in sample mean-variance space defined by Proposition 5 is from the same class of parabolas defined in Proposition 3, which addresses the test against a general alternative. Different parabolas corresponding to different critical values for the likelihood-ratio test are obtained by varying W_K^c in Proposition 3 and by varying W_{K_1, K_2}^c (and thus X_{A_2}) in Proposition 5. If $W_K^c = X_{A_2}$, then the critical parabolas for the two tests coincide.

Unlike the test in Proposition 4, the test in Proposition 5 uses information about all n assets. The critical parabola in (20) depends on a number of quantities that require returns on each of the n assets, such as the functions $\delta_1(\cdot)$ and $\delta_2(\cdot)$ and the quantity W_{A_2} . Therefore, the ability to use only the K_2 reference portfolios in testing a K_1 -beta model against a K_2 -beta model is limited to the case in which a riskless asset is included. We suggest that the intuition for this asymmetry lies in the fact that, in the absence of a riskless asset, the specific K_2 -beta alternative nevertheless requires information about all of the n assets in order to identify the expected zero-beta return.¹⁰ This is not true, of course, when a riskless (zero-beta) rate is observed.

¹⁰ The zero-beta rate depends on the tangency of the minimum-variance boundary of the K_2 reference assets with the minimum-variance boundary of the n assets.

We illustrate Proposition 5 by testing the zero-beta CAPM ($K_1 = 1$) against the specific alternative of a two-beta pricing model ($K_2 = 2$) in which the NYSE-AMEX indexes serve as the reference portfolios. The data are the same as in the previous examples (12 assets and the period Oct. 8, 1975–Dec. 23, 1981). Figure 5 displays the critical hyperbola for the test using the specific alternative as well as the critical hyperbola for the test using a general alternative. The critical hyperbolas are displayed only in regions that possibly could contain the reference portfolio for the given test. For example, neither reference portfolio can lie outside the boundary of the two reference portfolios, so the critical hyperbola for the test using the specific alternative does not extend beyond that boundary. The pricing model is not rejected against a general alternative if the reference portfolio lies horizontally to the left of the critical hyperbola and to the right of the minimum-standard-deviation boundary. The pricing model is not rejected against the specific alternative if the reference portfolio lies horizontally to the left of the critical hyperbola and to the right of the boundary of the reference portfolios.

The test using a general alternative was presented in Figure 2 for a slightly different choice of the critical value W^c . To compare directly the tests against both types of alternative hypotheses, we choose the critical values for both tests using the asymptotic χ^2 distributions for the likelihood-ratio test statistics. Therefore, again using a 5 percent significance level, the critical value for the test using the general alternative (Proposition 2) is

$$W^c = e^{(1/T)\chi_{\alpha,10}^2} = 1.05813$$

and the critical value for the test using the specific two-beta alternative is

$$W_{1,2}^c = e^{(1/T)\chi_{\alpha,1}^2} = 1.01927$$

where $\chi_{\alpha}^2(\nu)$ is the critical value for significance level α of the χ^2 distribution with ν degrees of freedom.

As noted earlier, the zero-beta CAPM is rejected with either portfolio as the market index when a general alternative hypothesis is used. When the specific alternative is used, however, the zero-beta CAPM is accepted if the value-weighted NYSE-AMEX portfolio is specified as the market index. In this case, the rejection region for the test using the general alternative is larger than the rejection region for the test using the specific alternative. The value-weighted NYSE-AMEX portfolio lies in the former rejection region but not in the latter.

3.3 Comparisons between tests using general and specific alternatives

As illustrated in Figures 4 and 5, the mean-variance framework allows tests using both general and specific alternatives to be represented on the same graph. It may be, as in the last example, that a given pricing model is




Figure 5
Likelihood-ratio tests of a single-beta pricing model against general and specific alternative hypotheses in the absence of a riskless asset

The null hypothesis is a single-beta pricing model with a market proxy as the reference portfolio. The specific alternative hypothesis is a two-beta pricing model with two market proxies as the reference portfolios. The tests are based on weekly returns, and the market proxies are the value-weighted NYSE-AMEX and the equally weighted NYSE-AMEX. The sample minimum-standard-deviation boundary is constructed using 12 assets: 10 size-based portfolios plus the two market proxies. The critical hyperbolas reflect a 5 percent significance level, and they are displayed only in regions that could possibly contain the reference portfolio for the given test. The pricing model is not rejected against a general alternative if the reference portfolio lies horizontally to the left of the critical hyperbola and to the right of the minimum-standard-deviation boundary. The pricing model is not rejected against the specific alternative if the reference portfolio lies horizontally to the left of the critical hyperbola and to the right of the boundary of the reference portfolios.

rejected against one form of alternative hypothesis (specific or general) but is not rejected against another form of alternative.

Given that the rejection regions in sample mean-variance space are of the same form for tests using either general or specific alternatives, the rejection region for one type of test will, ex post, include the rejection region of the other. Whether the test using the general alternative has the larger or smaller rejection region, however, depends on the specific sample. The relative size of the rejection region for the test using the specific alternative depends on the degree to which the specific alternative is satisfied in the sample.

When a riskless asset exists, the rejection regions are defined by critical Sharpe measures. For a given significance level α , the critical Sharpe measure for the test of a K_1 -beta model against a general alternative, S^c , obeys the following relation to the critical Sharpe measure for testing the same

hypothesis against the specific alternative, $S_{A_2}^c$ (provided neither measure is zero):

$$\frac{1 + (S^c)^2}{1 + (S_{A_2}^c)^2} = \left[\frac{1 + S(p^*)^2}{1 + S(p_{A_2}^*)^2} \right] \cdot \left[\frac{1 + \frac{K_2 - K_1}{T - K_2} F_\alpha(K_2 - K_1, T - K_2)}{1 + \frac{n - K_1}{T - n} F_\alpha(n - K_1, T - n)} \right] \quad (22)$$

The second bracketed expression is less than unity and does not depend on any sample values. The first bracketed expression exceeds unity and is a monotonic transformation of the statistic for testing a K_2 -beta pricing model against a general alternative (see Proposition 1). If the K_2 -beta model performs sufficiently well against a general alternative, so that the first bracketed expression in (22) is sufficiently close to unity, then the entire expression on the right-hand side of (22) is less than unity, and $S_{A_2}^c > S^c$. In this case, the rejection region for the test against the specific alternative includes the rejection region for the test against the general alternative. If, on the other hand, the first bracketed expression is sufficiently large, that is, if the K_2 -beta model performs less well, then the rejection region in the general-alternative test is larger.

A similar analysis is possible for the tests in the absence of a riskless asset. Let $W_{A_1} = [\lambda(A_1)^{2/T} - 1]$, and let $W_{K_1}^c$ denote its critical value. Propositions 3 and 5 imply that the rejection region for the test using the specific alternative includes the rejection region for the test against the general alternative if $X_{A_2} < W_{K_1}^c$. For the purposes of this discussion we assume that the critical values $W_{K_1}^c$ and W_{K_1, K_2}^c are chosen, as in the last example, based on the large-sample distributions for the likelihood-ratio test statistics. Thus, for a given significance level α , $T \cdot [\ln(1 + W_{K_1}^c)] = \chi_\alpha^2(n - K_1 - 1)$ and $T \cdot [\ln(1 + W_{K_1, K_2}^c)] = \chi_\alpha^2(K_2 - K_1)$, where $\chi_\alpha^2(\nu)$ denotes the critical value for significance level α of the χ^2 distribution with ν degrees of freedom. Given these specifications, the relation between X_{A_2} and $W_{K_1}^c$ is given by

$$\frac{1 + X_{A_2}}{1 + W_{K_1}^c} = [1 + W_{A_2}] \cdot \left[e^{(1/T)(\chi_\alpha^2(K_2 - K_1) - \chi_\alpha^2(n - K_1 - 1))} \right] \quad (23)$$

As in (22), the second bracketed term is less than unity and does not depend on sample values. The first bracketed term exceeds unity and is a monotonic transformation of the likelihood-ratio statistic for testing a K_2 -beta model against a general alternative. If W_{A_2} is sufficiently small, that is, if the K_2 -beta model performs sufficiently well in the sample, then the right-hand side of (23) is less than unity, $X_{A_2} < W_{K_1}^c$, and the rejection region for the test using the specific alternative includes the rejection region for the test using the general alternative.

In the previous example (Figure 5), the rejection region of the test using the general alternative includes the rejection region of the test using the specific alternative. As explained earlier, this example, like the others, is based on data from the period from Oct. 8, 1975 to Dec. 23, 1981. If we choose an earlier period, from Jan. 2, 1963 to June 25, 1969, then the rejection region of the specific-alternative test is the larger one (and the zero-beta CAPM is rejected against either alternative using either market index). In that earlier period, the two-beta alternative is supported better by the data. Recall from Figure 3 that the two-beta model is rejected in the later period used in the examples. The same two-beta model is not rejected in the earlier period, however.¹¹

4. Testing a Model with a Factor That Is Not a Portfolio Return

The tests considered up to this point apply to models in which the betas [B in (4) to (6)] are defined with respect to returns on a prespecified set of reference portfolios. In other cases the researcher may wish to test a pricing model in which the betas are computed with respect to a set of factors that are not portfolio returns. Likelihood-ratio tests of multiple-beta models using factors are not given a mean-variance interpretation as easily as tests using prespecified reference portfolios, but we present here the tractable case of a single-factor model when a riskless asset exists. In particular, we consider the role of a reference portfolio that is constructed within the sample, that is, a portfolio with weights that depend on sample parameter estimates.

4.1 A mean-variance framework for the likelihood-ratio test

It is assumed throughout this section that a riskless asset exists. Consider the multivariate regression

$$r_i = a + Bf_i + u_i \tag{24}$$

where r_i contains excess returns on n assets and f_i is a single factor. The asset pricing model states that, for some factor premium ζ ,

$$E(r_i) = B\zeta \tag{25}$$

The pricing model in (25) implies the following restriction on the parameters in the regression in (24):

$$\begin{aligned} a &= B[\zeta - E(f)] \\ &= B\phi \end{aligned} \tag{26}$$

where B is an $n \times 1$ vector and ϕ is a scalar.

¹¹ In that case, some feasible portfolios of the two reference assets lie outside the rejection region. Those portfolios, however, have mean returns less than the mean return of the global-minimum-variance portfolio. The latter case illustrates a shortcoming common to all of these tests: There is no power to distinguish between portfolios on the positively sloped portion of the minimum-variance boundary and those on the negatively sloped portion.

Definition. \hat{p} is the reference portfolio that is constructed within the sample, that is, the portfolio of the n assets having maximum sample correlation with the factor f_i .

Definition. R_i is the return on portfolio \hat{p} .

Definition. $\hat{\rho}$ is the sample correlation between R_i and f_i .

Definition. $W_{f_i} = [\lambda_{f_i}^{2/T} - 1]$, where λ_{f_i} is the likelihood ratio for testing the restriction in (26) against a general alternative. $T \cdot \ln(1 + W_{f_i})$ is asymptotically distributed as χ^2 with $n - 1$ degrees of freedom under the null hypothesis.

Definition. $W_{f_i}^c$ is the critical value for W_{f_i} at the chosen significance level. That is, the restriction in (26) is rejected if $W_{f_i} > W_{f_i}^c$.

As before, p^* denotes the portfolio of the n assets having the highest absolute Sharpe measure.

Unlike the tests discussed in Sections 2 and 3, where the composition of the reference portfolio(s) is specified ex ante, the weights in the reference portfolio \hat{p} are estimated within the sample. When only the factor f_i is specified, the true weights in the reference portfolio of the n assets are unobservable. Thus, one cannot simply test the ex ante tangency of \hat{p} using the tests presented earlier, since the pricing theory does not require that the estimated reference portfolio \hat{p} be ex ante mean-variance efficient. If such a procedure were followed, the pricing model would tend to be rejected incorrectly more often than the nominal rejection frequency (size) of the test. The following proposition allows us to compare the test using a factor to the earlier test using a prespecified reference portfolio.

Proposition 6. The sample statistics $S(p^*)$, $S(\hat{p})$, and $\hat{\rho}$ are sufficient to compute the likelihood-ratio statistic for testing (26) with a single factor. Specifically, the likelihood-ratio test rejects (26) if and only if

$$|S(\hat{p})| < S_{f_i}^c \tag{27}$$

where

$$S_{f_i}^c = \left[1 - \frac{W_{f_i}^c(1 - \hat{\rho}^2)}{\hat{\rho}^2} \right]^{1/2} \cdot \left[\frac{S(p^*)^2 - W_{f_i}^c}{1 + W_{f_i}^c} \right]^{1/2} \tag{28}$$

if the bracketed quantities in (28) are positive and $S_{f_i}^c$ equals zero otherwise (in which case there is no rejection).

Proof. See the Appendix. ■

Proposition 6 reveals that the test of the single-beta pricing model using a factor is similar to the test of a single-beta model using a prespecified

reference portfolio (Proposition 1). In both cases, the absolute Sharpe measure of a reference portfolio is compared to the maximum absolute Sharpe measure of the n assets. In the test presented here, however, this comparison depends on $\hat{\rho}$, the sample correlation between the return on the reference portfolio and the return on the factor.¹²

In general (with probability 1), $\hat{\rho}$ is less than unity and the weights in the reference portfolio \hat{p} contain measurement error. The inclusion of $\hat{\rho}$ in the test statistic $W_{\hat{p}}$ can be viewed as an adjustment for this measurement error. For a given $\hat{\rho}$, a critical value for the test statistic $W_{\hat{p}}$ determines a critical Sharpe measure $S_{\hat{p}}^c$ against which the absolute value of $S(\hat{p})$ is compared.¹³ Thus, for a given location in sample mean-variance space of the reference portfolio \hat{p} , the null hypothesis could be rejected for one value of $\hat{\rho}$ but accepted for some lower value of $\hat{\rho}$. As $\hat{\rho}$ decreases, or as the variance of the measurement error in the weights in \hat{p} increases, the reference portfolio \hat{p} must lie farther from the sample tangent portfolio (in terms of absolute Sharpe measures) in order to reject the null hypothesis.

When $\hat{\rho} = 1$ the test statistic $W_{\hat{p}}$ is undefined, which can be seen by observing that the covariance matrix of u_i in (24) is singular if some linear combination of the elements of r_i yields f_i .¹⁴ However, it can be shown that

$$\lim_{\hat{\rho} \rightarrow 1} W_{\hat{p}} = \frac{S(p^*)^2 - S(\hat{p})^2}{1 + S(\hat{p})^2} \quad (29)$$

The limiting value in (29) is in the form of the test statistic underlying Proposition 1. Also note that if $\hat{\rho} = 1$, then the critical Sharpe measure $S_{\hat{p}}^c$ in (28) is of the same form as S^c in (10) [with $W_{\hat{p}}^c$ in place of $\nu F_{\alpha}(\cdot)$]. In other words, in the special case $\hat{\rho} = 1$, the weights in the reference portfolio are estimated without error, and the correct test of the single-beta model is to test the ex ante tangency of portfolio \hat{p} using the test in Proposition 1. One would replace f_i by R_i in (24), eliminate one asset from the multivariate regression (leaving $n - 1$ equations), and test whether $\alpha = 0$.

4.2. An illustration using consumption data

The consumption-beta model of Breeden (1979) is tested here using the mean-variance framework developed above. Breeden, Gibbons, and Litzenger (1989) conduct tests of this model using a series of estimated quarterly consumption growth rates. Their study includes tests of restrictions on parameters in a multivariate regression as in (24), in which quar-

¹² Recall that in Proposition 1, the only sample quantity affecting the critical Sharpe measure S^c is $S(p^*)$, the maximum absolute Sharpe measure of the n assets.

¹³ This critical Sharpe measure will also depend on $S(p^*)$ and the critical value for $W_{\hat{p}}$. In addition, $S_{\hat{p}}^c$ may not exist for some samples, in that $W_{\hat{p}}$ could not attain its critical value even if $S(\hat{p})^2$ were equal to zero.

¹⁴ This can also be seen directly from the expression for $W_{\hat{p}}$ given in the Appendix.

terly stock and bond returns (in r_t) are regressed on quarterly consumption growth (f_t).¹⁵ We also conduct a test of the consumption-beta model using quarterly data, covering the period beginning in the second quarter of 1929 and ending in the third quarter of 1978.¹⁶ Our set of 12 assets ($n = 12$) consist of (1) a portfolio of long-term U.S. government bonds, (2) a portfolio of bonds rated below Baa by Moody's, and (3) 10 value-weighted portfolios of common stocks formed by sorting firms according to size (with approximately the same number of firms in each portfolio). Excess returns are used, where the riskless rate is the yield on the shortest-maturity U.S. government security with a maturity of at least three months.

We first construct the reference portfolio $\hat{\beta}$, which is the portfolio of the 12 assets having the maximum sample correlation with consumption. In this example, the maximum correlation ($\hat{\rho}$) equals 0.55. Figure 6 shows the minimum-standard-deviation boundary of the 12 assets as well as lines corresponding to two critical Sharpe measures, both for significance levels of 0.10. The first of these corresponds to S^c (Proposition 1), which would be appropriate for testing the ex ante efficiency of $\hat{\beta}$. The second line corresponds to $S_{\hat{\beta}}^c$, the critical Sharpe measure given in Proposition 6.¹⁷ Note that the pricing model would be rejected if the position of the reference portfolio $\hat{\beta}$ were compared to the line corresponding to S^c . On the other hand, $\hat{\beta}$ lies essentially on the line corresponding to the appropriate critical Sharpe measure $S_{\hat{\beta}}^c$, so the pricing model is not rejected at a 10 percent significance level (the P -value is approximately 0.10).

An interesting outcome occurs if the above example is modified so that the significance level is 0.05 or so that the set of assets consists of only the common stock portfolios ($n = 10$). In these cases, the rightmost bracketed expression in (22) is negative, and, as explained earlier, this expression corresponds to S^c in Proposition 1. A negative value indicates that even the largest squared sample Sharpe measure is too low, relative to the critical value of the statistic's distribution, to allow any portfolio to be inferred inefficient (cf. the discussion following Proposition 1). For this sample, there are no portfolios of the 10 assets that would be inferred inefficient at the 0.10 significance level, and there are no portfolios of the 12 assets considered above that would be inferred inefficient at the 0.05 significance level. Given the definition of $S_{\hat{\beta}}^c$, this also means that a one-factor pricing model would not be rejected in such cases for any realizations of the factor. We see that a necessary condition for measurement of the factor (e.g., consumption) to have any relevance in a given sample is that there be some portfolios that would be inferred to be ex ante inefficient. If no such

¹⁵ The authors test a zero-beta version of the model, so the restriction in (21) becomes $a = \iota_n\phi_1 + B\phi_2$, for some scalars ϕ_1 and ϕ_2 .

¹⁶ We are grateful to Mike Gibbons for providing us with the consumption data.

¹⁷ To isolate the effects of adjusting for measurement error in the weights in $\hat{\beta}$, the asymptotic distribution (χ^2) is used here to construct both critical Sharpe measures.




Figure 6
Likelihood-ratio tests of the consumption-beta model

The tests are based on quarterly returns, in excess of a Treasury bill rate, and an index of quarterly consumption growth. The sample minimum-standard-deviation boundary is constructed using 12 assets: 10 size-based portfolios plus a portfolio of long-term U.S. government bonds and a portfolio of bonds rated below Baa by Moody's. The critical lines reflect a 5 percent significance level. The critical line labeled "known weights" would be appropriate for testing the model with known weights in the portfolio having maximal correlation with consumption. The critical line labeled "estimated weights" is appropriate when the weights in the maximum-correlation portfolio are estimated. The pricing model is not rejected if the reference portfolio lies horizontally to the left of a critical line and to the right of the minimum-standard-deviation boundary.

portfolios exist in the sample, then the researcher need not be concerned with measuring the factor, because a rejection of the pricing model could not occur in any event. In the example displayed in Figure 6, the two bond portfolios are included in order to construct an example in which the specification of the factor can affect the outcome of the test at a 0.10 significance level.

5. Conclusions

Likelihood-ratio tests of many asset pricing models, including multiple-beta models, can be conducted in a mean-variance framework. A pricing model is tested by examining the position of one or more portfolios in sample mean-standard-deviation space. When a riskless asset exists, a rejection region in sample mean-standard-deviation space is defined by a pair of lines determined by a critical Sharpe measure. When no riskless asset exists, the rejection region is defined by a critical hyperbola. Single-beta pricing models are rejected if a given reference portfolio lies within the rejection region. Multiple-beta pricing models are rejected if all combinations of a number of reference portfolios lie within the rejection region.

The mean-variance framework developed here allows likelihood-ratio tests to be conducted using either a general-alternative hypothesis or a specific alternative of a higher-dimensional linear pricing model. The rejection regions are of the same form in both cases, and the rejection region for one test will include the rejection region of the other. If the specific alternative is satisfied sufficiently well within the sample, then the rejection region for the test using that alternative will be larger than the rejection region for the test using a general alternative.

When a factor such as consumption is used to test a single-beta pricing model, the likelihood-ratio test can be conducted by examining the position in sample mean-standard-deviation space of the portfolio of a given set of assets having the maximum sample correlation with the factor. The Sharpe measure defining the critical region is, however, less than the Sharpe measure appropriate for testing a single-beta model where this portfolio is specified ex ante as the reference portfolio.

A necessary condition for the rejection of a single-beta model using a factor is that there exist some portfolios within the sample that would be inferred to be ex ante inefficient. If such portfolios do not exist, then no realization of the factor could produce a rejection of the pricing theory.

Appendix

This Appendix describes the analysis leading to Propositions 1 through 6. The analysis uses a general $n \times l$ matrix G to represent the weights for a set of l portfolios that are combinations of the n assets. The set of K reference portfolios is represented by the matrix A , a specific choice of G with K columns. It is often convenient during the analysis, however, to regard K as fixed and consider other sets of l portfolios (sometimes containing only one member), which are represented by different specifications of G . For example, R_t can be replaced in (4) and (5) by an l -vector of returns R_t^a , defined by another choice of G , and r_t is then replaced by an $(n - l)$ vector of returns r_t^a , where r_t^a and R_t^a are linearly independent. In that case, the regression in (4) becomes

$$r_t^a = a + BR_t^a + u_t \tag{A1}$$

where a and B are redefined accordingly.

For the matrix G , define

$$\begin{bmatrix} L(G) & M(G) \\ M(G) & N(G) \end{bmatrix} \equiv \begin{bmatrix} \hat{u}'(G'\hat{V}G)^{-1}u_t & \hat{u}'(G'\hat{V}G)^{-1}G'\hat{E} \\ \hat{u}'(G'\hat{V}G)^{-1}G'\hat{E} & \hat{E}'G(G'\hat{V}G)^{-1}G'\hat{E} \end{bmatrix} \tag{A2}$$

$$Q(G, \gamma) \equiv \frac{N - N(G) - 2\gamma[M - M(G)] + \gamma^2[L - L(G)]}{1 + N(G) - 2\gamma M(G) + \gamma^2 L(G)} \tag{A3}$$

$$\bar{Q}(G) \equiv \min_{\gamma} Q(G, \gamma) \tag{A4}$$

$$\hat{\gamma}(G) \equiv \operatorname{argmin} Q(G, \gamma) \tag{A5}$$

$$S^*(\gamma) \equiv \max_p \left| \frac{p' \hat{E} - \gamma}{(p' \hat{V} p)^{1/2}} \right| \quad \text{s.t. } p' \iota = 1 \tag{A6}$$

$$s^*(G, \gamma) \equiv \max_w \left| \frac{w' G' \hat{E} - \gamma}{(w' G' \hat{V} G w)^{1/2}} \right| \quad \text{s.t. } w' \iota_l = 1 \tag{A7}$$

Definition. $p^*(G, \gamma)$. This is an n -vector containing the weights in the tangent portfolio of the set G with respect to the intercept γ . That is, $p^*(G, \gamma) = G w^*$, where

$$w^* \equiv \operatorname{argmax} \left| \frac{w' G' \hat{E} - \gamma}{(w' G' \hat{V} G w)^{1/2}} \right| \quad \text{s.t. } w' \iota_l = 1 \tag{A8}$$

Note that when returns are stated in excess of a riskless rate r_{ft} , then $S^*(0)$ is the maximum absolute Sharpe measure of the set of n assets, and $s^*(G, 0)$ is the maximum absolute Sharpe measure of the set of portfolios in G .

The function $Q(G, \gamma)$ provides the basis for the likelihood-ratio tests discussed in Section 2. Relations between various forms of $Q(G, \gamma)$ and likelihood-ratio tests are established in studies by Kandel (1984), Shanken (1985, 1986), and Gibbons, Ross, and Shanken (1989). In discussing these relations, it is useful to recognize two alternative expressions for $Q(G, \gamma)$. It is straightforward to show that

$$[s^*(G, \gamma)]^2 = N(G) - 2\gamma M(G) + \gamma^2 L(G) \tag{A9}$$

and an analogous expression holds for $S^*(\gamma)$ in terms of N , M , and L . Therefore, (A3) can be rewritten as

$$Q(G, \gamma) = \frac{[S^*(\gamma)]^2 - [s^*(G, \gamma)]^2}{1 + [s^*(G, \gamma)]^2} \tag{A10}$$

The second alternative expression for $Q(G, \gamma)$ involves parameters estimated from a multivariate regression [see, for example, Shanken (1986)]. Let \hat{a} and \hat{B} denote ordinary least-squares estimates of the parameters in (A1). For a given γ , define $\alpha(\gamma) = \hat{a} - \hat{\gamma}(\iota_{n-l} - \hat{B}\iota_l)$, and let $\hat{\Sigma}$ denote the estimated variance-covariance matrix of the u_i 's (using T as a divisor). Through straightforward (but somewhat tedious) algebra it can be shown that

$$Q(G, \gamma) = \frac{\alpha(\gamma)' \hat{\Sigma}^{-1} \alpha(\gamma)}{1 + (\hat{E}_G - \gamma \iota_l)' \hat{V}_G^{-1} (\hat{E}_G - \gamma \iota_l)} \tag{A11}$$

where \hat{E}_G and \hat{V}_G denote the sample mean vector and variance-covariance matrix of R_t^a .¹⁸

¹⁸ The function denoted as $Q(\gamma)$ in Shanken (1986) is the same as (A11) for a given A , except that Shanken's expression multiplies the right-hand side of (A11) by T and uses the unbiased estimator of Σ (where $T - l - 1$ is the divisor).

Gibbons, Ross, and Shanken (1989) show that $Q(G, 0)$, where $Q(\cdot)$ is in the form of (A11) and where all returns are stated in excess of a riskless rate r_f , is a monotonic transformation of the likelihood-ratio statistic for testing the efficiency of some combination of the portfolios in G in the presence of a riskless asset. These authors also use the form of $Q(\cdot)$ in (A10) with $l = 1$ to provide the geometric interpretation of the test of the efficiency of a given portfolio (Proposition 1 with $K = 1$).

Gibbons, Ross, and Shanken show that $[(T - n)/(n - l)]Q(G, 0)$ is distributed as F with degrees of freedom $(n - l)$ and $(T - n)$ under the null hypothesis. The general result of Proposition 1 ($K \geq 1$) then follows directly from (A10) and the observations that $Q(G, 0)$ is decreasing in $[s^*(G, 0)]^2$ and that $s^*(G, 0) = s^*[p^*(G, 0), 0]$.

Kandel (1984) analyzes the likelihood-ratio test of the efficiency of a given portfolio, with weights given by the n -vector p , in the absence of a riskless asset. He shows that the likelihood-ratio test statistic is a monotonic transformation of $\bar{Q}(p)$; specifically, $T \cdot \ln[1 + \bar{Q}(p)]$ is distributed asymptotically as χ^2 with $n - 2$ degrees of freedom under the null hypothesis. [The expression for $Q(\cdot)$ derived by Kandel corresponds to the special case of (A3) for $l = 1$.]

Shanken (1985, 1986) shows that $\bar{Q}(G)$, where $Q(G, \gamma)$ is stated in the form of (A11), is a monotonic transformation of the likelihood-ratio statistic for testing the hypothesis that some combination of the portfolios in G ($l > 1$) is mean-variance efficient in the absence of a riskless asset. Specifically, $T \cdot \ln[1 + \bar{Q}(G)]$ is distributed asymptotically as χ^2 with $n - l - 1$ degrees of freedom under the null hypothesis.

Propositions 2 and 3 in Section 3 are obtained by combining the results of the above studies with a further investigation of the properties of the function $Q(G, \gamma)$.

Lemma A1. For a single portfolio with weights denoted by the n -vector p ,

$$\sigma^2(p) = \delta_1 + \delta_2 \hat{\sigma}(\hat{\mu}(p)) \tag{A12}$$

where

$$\delta_1 = \frac{\bar{Q}(p)[\bar{Q}(p) + 1]}{L\bar{Q}(p) - D} \quad \text{and} \quad \delta_2 = \frac{-D[\bar{Q}(p) + 1]}{L\bar{Q}(p) - D} \tag{A13}$$

Proof. Kandel (1984) derives $\hat{\gamma}(p)$, the maximum likelihood estimator for the zero-beta rate. Substituting $\hat{\gamma}(p)$ for γ in (A3) and simplifying (with tedious but straightforward algebra) gives the above result.

Proof of Proposition 2

Note that the right-hand sides of (11) and (A12) are the same, except that (A12) replaces W^c by $\bar{Q}(p)$. Also, given the discussion above, $W(p) = \bar{Q}(p)$. The right-hand side of (11) is increasing in W^c , which can be shown using the condition that $\hat{\sigma}^2(\hat{\mu}(p)) \geq 1/L$ (since $1/L$ is the global minimum

sample variance of the set of n assets). Therefore, if $W(p) > W^c$, the inequality in (11) follows from Lemma A1. ■

Lemma A2. For all γ , $Q(G, \gamma) = Q(p^*(G, \gamma), \gamma)$.

Proof. Use (A10) and the observation that $s^*(G, \gamma) = s^*(p^*[G, \gamma], \gamma)$. ■

Lemma A3. For all G, γ , and w such that $w'v_i = 1$,

$$Q(Gw, \gamma) \geq Q(p^*[G, \gamma], \gamma)$$

Proof. By definition, $[s^*(p^*[G, \gamma], \gamma)]^2 \geq [s^*(Gw, \gamma)]^2$, and by (A10), $Q(G, \gamma)$ is decreasing in $[s^*(G, \gamma)]^2$.

Lemma A4. For all G and w such that $w'v_i = 1$, $\bar{Q}(Gw) \geq \bar{Q}(G)$.

Proof. Using, in order, (A5), Lemma A3, Lemma A2, and (A4), observe that $\bar{Q}(Gw) = Q(Gw, \hat{\gamma}(Gw)) \geq Q(p^*[G, \hat{\gamma}(Gw)], \hat{\gamma}(Gw)) = Q(G, \hat{\gamma}(Gw)) \geq \bar{Q}(G)$.

Proof of Proposition 3

Let W_k^c denote the critical value for the likelihood-ratio test of the hypothesis that some combination of the portfolios in A is efficient, that is, this null hypothesis is rejected if $\bar{Q}(A) > W_k^c$. Note that if $\bar{Q}(A) > W_k^c$, then by Lemma A4, $\bar{Q}(Aw) > W_k^c$ for all w . Therefore, using Lemma A1 and the same argument in the proof of Proposition 2, the inequality in (11) must hold for any $p = Aw$ (where W_k^c replaces W^c). A necessary and sufficient condition for the latter is that the inequality hold for all p 's on the minimum-variance boundary of the set A , and this is equivalent to (13). ■

We now turn to the tests against specific alternatives, which are addressed in Propositions 4 and 5. From (8) and (14), observe

$$\lambda(A_1, A_2) = \frac{\lambda(A_1)}{\lambda(A_2)} \tag{A14}$$

Since the tests discussed previously involve the computation of $\lambda(A)$, the computation of $\lambda(A_1, A_2)$ is straightforward using (A14).

When a riskless asset exists, Gibbons, Ross, and Shanken (1989) show that

$$\lambda(A_1) = [1 + Q(A_1, 0)]^{T/2}$$

and

$$\lambda(A_2) = [1 + Q(A_2, 0)]^{T/2} \tag{A15}$$

where excess returns are used in the computations. Using (A14) and (A10),

$$\frac{[s^*(A_2, 0)]^2 - [s^*(A_1, 0)]^2}{1 + [s^*(A_1, 0)]^2} = \lambda(A_1, A_2)^{2/T} - 1 \tag{A16}$$

so that the left-hand side of (A16) is a monotonic transformation of the likelihood-ratio-test statistic $\lambda(A_1, A_2)$. Now observe that the left-hand side of (A16) is equal to $Q(A_1, 0)$ but where the set of K_2 reference portfolios replaces the original set of n assets in the definition of $Q(\cdot)$. Therefore, Proposition 4 follows as a straightforward relabeling of Proposition 1, where the set of K_2 reference portfolios takes the role of the set of n assets and the set of K_1 reference portfolios takes the role of the set of K assets.

In the tests where a riskless asset does not exist, use (A14) and the definitions of W_{A_1} , W_{A_2} , and W_{A_1, A_2} to obtain

$$1 + W_{A_1, A_2} = \frac{1 + W_{A_1}}{1 + W_{A_2}} \tag{A17}$$

From (A17), $W_{A_1, A_2} > W_{K_1, K_2}^c$ if and only if $W_{A_1} > X_{K_2}$ [defined in (21)]. Proposition 5 then follows directly from Proposition 3 with X_{K_2} in place of W_K^c .

Proposition 6 returns to a test against a general alternative, but a factor is used instead of the return on a reference portfolio. The starting point for this analysis is a result of Shanken (1985). Let b denote the ordinary least-squares estimate of B in (24), and let $\hat{\Sigma}$ denote the sample variance-covariance matrix of the residuals from that regression. Shanken shows that

$$W_{f_1} = \min_{\zeta} \frac{e' \hat{\Sigma}^{-1} e}{1 + \zeta^2 / \hat{\sigma}_f^2} \tag{A18}$$

where $e = \hat{E} - \zeta b$ and $\hat{\sigma}_f^2$ is the sample variance of the factor f . Through straightforward algebra, it can be verified that the solution to the above minimization yields

$$W_{f_1} = b \hat{\sigma}_f^2 \left\{ 1 - \frac{2g^2/b}{[(z - b\hat{\sigma}_f^2)^2 + 4g^2\hat{\sigma}_f^2]^{1/2} + z - b\hat{\sigma}_f^2} \right\} \tag{A19}$$

where $z \equiv \hat{E}' \hat{\Sigma}^{-1} \hat{E}$, $b \equiv b' \hat{\Sigma}^{-1} b$, and $g \equiv b' \hat{\Sigma}^{-1} \hat{E}$. Using the facts that the weights in p^* are proportional to $\hat{V}^{-1} \hat{E}$ and that the weights in \hat{p} are proportional to $\hat{V}^{-1} b$, along with the relation

$$\hat{V}^{-1} = \hat{\Sigma}^{-1} - \frac{\hat{\sigma}_f^2 \hat{\Sigma}^{-1} b b' \hat{\Sigma}^{-1}}{1 + \hat{\sigma}_f^2 b} \tag{A20}$$

it is easily shown that

$$\hat{\rho}^2 = \hat{\sigma}_f^2 b' \hat{V}^{-1} b = \frac{\hat{\sigma}_f^2 b}{1 + \hat{\sigma}_f^2 b} \tag{A21}$$

$$S(p^*)^2 = \hat{E}' \hat{V}^{-1} \hat{E} = z - \frac{\hat{\sigma}_f^2 g^2}{1 + \hat{\sigma}_f^2 b} \tag{A22}$$

and

$$S(\hat{\rho})^2 = \frac{(b'\hat{V}^{-1}\hat{E})^2}{b'\hat{V}^{-1}b} = \frac{g^2}{b} \quad (\text{A23})$$

Combining (A19) with the three relations above yields

$$W_{\hat{\rho}} = \frac{\hat{\rho}^2}{1 - \hat{\rho}^2} \left\{ 1 - \frac{2S(\hat{\rho})^2}{[Y^2 + 4\hat{\rho}^2 S(\hat{\rho})^2]^{1/2} + Y} \right\} \quad (\text{A24})$$

where

$$Y = S(p^*)^2 - \hat{\rho}^2[1 + S(p^*)^2 - S(\hat{\rho})^2] \quad (\text{A25})$$

Proposition 6 follows by substituting $W_{\hat{\rho}}^c$ for $W_{\hat{\rho}}$ and $S_{\hat{\rho}}^c$ for $S(\hat{\rho})$ and then solving for $S_{\hat{\rho}}^c$.

References

- Amsler, C. E., and P. Schmidt, 1985, "A Monte Carlo Investigation of the Accuracy of Multivariate CAPM Tests," *Journal of Financial Economics*, 14, 359–375.
- Anderson, T. W., 1984, *An Introduction to Multivariate Statistical Analysis* (2d ed.), Wiley, New York.
- Black, F., 1972, "Capital Market Equilibrium with Restricted Borrowing," *Journal of Business*, 45, 444–454.
- Breedeen, D. T., 1979, "An Intertemporal Asset Pricing Model with Stochastic Consumption and Investment Opportunities," *Journal of Financial Economics*, 7, 265–296.
- Breedeen, D. T., M. R. Gibbons, and R. H. Litzenberger, 1989, "Empirical Tests of the Consumption-Oriented CAPM," *Journal of Finance*, 44, 231–262.
- Fama, E., 1976, *Foundations of Finance*, Basic Books, New York.
- Gibbons, M. R., 1982, "Multivariate Tests of Financial Models: A New Approach," *Journal of Financial Economics*, 10, 3–27.
- Gibbons, M. R., S. A. Ross, and J. Shanken, 1989, "A Test of the Efficiency of a Given Portfolio," forthcoming in *Econometrica*.
- Grinblatt, M., and S. Titman, 1987, "The Relation between Mean-Variance Efficiency and Arbitrage Pricing," *Journal of Business*, 60, 97–112.
- Huberman, G., and S. Kandel, 1987, "Mean-Variance Spanning," *Journal of Finance*, 42, 873–888.
- Huberman, G., S. Kandel, and R. F. Stambaugh, 1987, "Mimicking Portfolios and Exact Arbitrage Pricing," *Journal of Finance*, 42, 1–9.
- Jobson, J. D., and B. Korkie, 1982, "Potential Performance and Tests of Portfolio Efficiency," *Journal of Financial Economics*, 10, 433–466.
- Jobson, J. D., and B. Korkie, 1985, "Some Tests of Linear Asset Pricing with Multivariate Normality," *Canadian Journal of Administrative Sciences*, 2, 114–138.
- Jobson, J. D., and B. Korkie, 1988, "A Performance Interpretation of Multivariate Tests of Intersection, Spanning and Asset Pricing," working paper, University of Alberta, Edmonton, Alberta, Canada.
- Kandel, S., 1984, "The Likelihood Ratio Test Statistic of Mean-Variance Efficiency without a Riskless Asset," *Journal of Financial Economics*, 13, 575–592.
- Kandel, S., 1986, "The Geometry of the Maximum Likelihood Estimator of the Zero-Beta Return," *Journal of Finance*, 31, 339–346.

- Kandel, S., and R. F. Stambaugh, 1986, "Correlation and Mean-Variance Analysis," working paper, University of Chicago.
- Kandel, S., and R. F. Stambaugh, 1987, "On Correlations and Inferences about Mean-Variance Efficiency," *Journal of Financial Economics*, 18, 61–90.
- Lintner, J., 1965, "The Valuation of Risk Assets and the Selection of Risky Investments in Stock Portfolios and Capital Budgets," *Review of Economics and Statistics*, 47, 13–27.
- MacKinlay, A. C., 1987, "On Multivariate Tests of the CAPM," *Journal of Financial Economics*, 18, 341–371.
- Roll, R., 1977, "A Critique of the Asset Pricing Theory's Tests, Part I: On Past and Potential Testability of the Theory," *Journal of Financial Economics*, 4, 129–176.
- Roll, R., 1985, "A Note on the Geometry of Shanken's CSR T^2 Test for Mean/Variance Efficiency," *Journal of Financial Economics*, 14, 349–357.
- Ross, S. A., 1977, "The Capital Asset Pricing Model (CAPM), Short Sale Restrictions and Related Issues," *Journal of Finance*, 32, 177–183.
- Shanken, J., 1985, "Multivariate Tests of the Zero-Beta CAPM," *Journal of Financial Economics*, 14, 327–348.
- Shanken, J., 1986, "Testing Portfolio Efficiency When the Zero-Beta Rate Is Unknown: A Note," *Journal of Finance*, 41, 269–276.
- Sharpe, W. F., 1964, "Capital Asset Prices: A Theory of Market Equilibrium under Conditions of Risk," *Journal of Finance*, 19, 425–442.
- Stambaugh, R. F., 1982, "On the Exclusion of Assets from Tests of the Two-Parameter Model: A Sensitivity Analysis," *Journal of Financial Economics*, 10, 237–268.